

# SAFETY DATA SHEET

## 1. Identification

Product identifier **SEAL 341** 

Other means of identification

567N-100B SDS number Product code HIL00341 Floor Finish Recommended use Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer Manufacturer

Company name Address

HILLYARD INDUSTRIES 302 North Fourth St. St. Joseph, MO 64501

Contact person

Regulatory Affairs

Telephone number

(816) 233-1321 (Ext. 8285)

Fax

(816) 383-8485

E-mail Emergency telephone # regulatoryaffairs@hillyard.com

(800) 424-9300 (Only in the event of chemical emergency involving a spill, leak, fire, exposure,

or accident involving chemicals.)

# 2. Hazard(s) identification

Physical hazards

Not classified.

Health hazards

Not classified.

**Environmental hazards** 

Hazardous to the aquatic environment, acute Category 3

hazard

**OSHA** defined hazards

Not classified.

Label elements

Hazard symbol

None.

Signal word

None.

Hazard statement

Harmful to aquatic life.

Precautionary statement

Prevention

Avoid release to the environment.

Response

Wash hands after handling.

Storage

Store away from incompatible materials.

Disposal

Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information

None.

# 3. Composition/information on ingredients

### **Mixtures**

Chemical name	Common name and synonyms	CAS number	%
2-(2-ethoxyethoxy)ethanol		111-90-0	3-<5
Tributoxyethyl Phosphate		78-51-3	1 - < 3
Other components below reportable levels			90 - 100

<sup>\*</sup>Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

SDS US Material name: SEAL 341 1/7

#### 4. First-aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact Wash off with soap and water. Get medical attention if irritation develops and persists.

Eye contact Immediately flush with plenty of water for at least 15 minutes. If easy to do, remove contact lenses.

Continue rinsing.

Ingestion Drink water as a precaution. Get medical attention if any discomfort continues.

Most important

General information

symptoms/effects, acute and

delayed

Direct contact with eyes may cause temporary irritation.

Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing media

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2). Do not use water jet as an extinguisher, as this will spread the fire.

During fire, gases hazardous to health may be formed.

Specific hazards arising from the chemical

Special protective equipment

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

and precautions for firefighters Fire fighting

equipment/instructions

Move containers from fire area if you can do so without risk.

Specific methods Use standard firefighting procedures and consider the hazards of other involved materials.

General fire hazards No unusual fire or explosion hazards noted.

### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. Follow precautions for safe handling described in this safety data sheet. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up This product is miscible in water.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Prevent product from entering drains. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination,

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Avoid **Environmental precautions** discharge into drains, water courses or onto the ground. Inform appropriate managerial or supervisory personnel of all environmental releases.

7. Handling and storage

Precautions for safe handling

Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. Avoid release to the environment. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities Store in original tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

## 8. Exposure controls/personal protection

#### Occupational exposure limits

Material name: SEAL 341

US. AIHA Workplace	Environmental Exposure	Level (WEEL) Guides
--------------------	------------------------	---------------------

Components	Type	Value	
2-(2-ethoxyethoxy)ethanol (CAS 111-90-0)	TWA	140 mg/m3	
,		25 ppm	

Biological limit values No biological exposure limits noted for the ingredient(s).

SDS US

Appropriate engineering

controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Individual protection measures, such as personal protective equipment

Eye/face protection Where splashing of concentrate is a concern, use protective glasses with side shield.

Skin protection

Hand protection For prolonged or repeated skin contact use suitable protective gloves.

Other Not normally needed.

Respiratory protection No personal respiratory protective equipment normally required.

Thermal hazards None known.

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective

equipment to remove contaminants.

# 9. Physical and chemical properties

Appearance Milky emulsion

Physical state Liquid.
Form Liquid.
Color Milky white

Odor non-objectionable odor

Odor threshold Not available pH 8.5 - 9.5

Melting point/freezing point

Not applicable / Not available

Initial boiling point and boiling

212 °F (100 °C) estimated

range

Flash point > 212.0 °F (> 100.0 °C) Tag Closed Cup

Evaporation rate < 1 Ethyl ether = 1
Flammability (solid, gas) Not available.

Upper/lower flammability or explosive limits
Explosive limit - lower (%) Not available.
Explosive limit - upper (%) Not available.
Vapor pressure 21.1 mm Hg

Vapor density 1.1 AIR=1 Relative density 1.03 at 77°F

Solubility(ies)

Solubility (water) Appreciable

Partition coefficient Not available

(n-octanol/water)

Auto-ignition temperature

Decomposition temperature

Viscosity

Not available

Not available

Other information

Density8.58 lb/galPercent volatile77.5 - 78.5 %VOC (Weight %)CARB Compliant

#### 10. Stability and reactivity

Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Material is stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid Avoid temperatures exceeding the flash point. Contact with incompatible materials.

Material name: SEAL 341

HIL00341 Version #: 01 Issue date: 11-18-2014

3 / 7

Incompatible materials

Strong oxidizing agents.

Hazardous decomposition

products

No hazardous decomposition products are known.

# 11. Toxicological information

Information on likely routes of exposure

Inhalation

Prolonged inhalation may be harmful.

Skin contact

May be irritating to the skin.

**Species** 

Eye contact

Direct contact with eyes may cause temporary irritation.

Ingestion

Expected to be a low ingestion hazard.

Symptoms related to the

Direct contact with eyes may cause temporary irritation.

**Test Results** 

physical, chemical and toxicological characteristics

Information on toxicological effects

Acute toxicity

**Product** 

SEAL 341	77-44-1 (7-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1	
Acute		
Dermal		
LD50	Rabbit	25000.1406 mg/kg estimated
Inhalation		
LC50	Mouse	5955.5742 mg/l, 10 Minutes estimated
		2816.4292 mg/l, 1 Hours estimated
		2774.5181 mg/l, 2 Hours estimated
	Rabbit	3167.116 mg/l, 1 Hours estimated
	Rat	6370.4946 mg/l, 2 Hours estimated
,		4274.937 mg/l, 1 Hours estimated
Oral		
LD50	Guinea pig	46728.9727 mg/kg estimated
	Mouse	157.7938 g/kg estimated
	Rabbit	86810.5547 mg/kg estimated
	Rat	27754.5117 mg/kg estimated
Components	Species	Test Results
2-(2-ethoxyethoxy)ethanol (	CAS 111-90-0)	
Acute		
Dermal		
LD50	Rabbit	8476 mg/kg
	Rat	6000 mg/kg
Oral		
LD50	Mouse	6.58 g/kg
	Rat	1920 mg/kg
Fributoxyethyl Phosphate (C	AS 78-51-3)	
Acute		
Oral		
LD50	Guinea pig	3000 mg/kg
	Rat	3000 mg/kg

<sup>\*</sup> Estimates for product may be based on additional component data not shown.

Skin corrosion/irritation

Prolonged skin contact may cause temporary irritation.

Serious eye damage/eye

Direct contact with eyes may cause temporary irritation.

irritation

Material name: SEAL 341

HIL00341 Version #: 01 | Issue date: 11-18-2014

4 / 7

Respiratory or skin sensitization

Under normal conditions of intended use, this material is not expected to be an inhalation hazard. Respiratory sensitization

This product is not expected to cause skin sensitization. Skin sensitization

No data available to indicate product or any components present at greater than 0.1% are Germ cell mutagenicity

mutagenic or genotoxic.

This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA. Carcinogenicity

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

This product is not expected to cause reproductive or developmental effects. Reproductive toxicity

Specific target organ toxicity single exposure

Not classified.

Specific target organ toxicity -

Not classified.

repeated exposure

Aspiration hazard

Not an aspiration hazard.

Prolonged inhalation may be harmful. Chronic effects

12. Ecological information

Harmful to aquatic life. **Ecotoxicity** 

Product		Species	l est Results
SEAL 341			
Aquatic			
Crustacea	EC50	Daphnia	135.815 mg/l, 48 hours estimated
Fish	LC50	Fish	438.6248 mg/l, 96 hours estimated
Components		Species	Test Results

Aquatic

> 10000 mg/l, 96 hours Bluegill (Lepomis macrochirus) LC50 Fish

Tributoxyethyl Phosphate (CAS 78-51-3)

Aquatic

Fathead minnow (Pimephales promelas) 10.4 - 12 mg/l, 96 hours LC50 Fish

\* Estimates for product may be based on additional component data not shown.

No data is available on the degradability of this product. Persistence and degradability

Bioaccumulative potential

Partition coefficient n-octanol / water (log Kow)

2-(2-ethoxyethoxy)ethanol -0.54Tributoxyethyl Phosphate 3.75

Mobility in soil

No data available.

Other adverse effects

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow Disposal instructions

this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches

with chemical or used container. Dispose of contents/container in accordance with

local/regional/national/international regulations.

Local disposal regulations

Dispose in accordance with all applicable regulations.

Hazardous waste code

The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Empty containers should be taken to an approved waste handling site for recycling or disposal. Contaminated packaging

Since emptied containers may retain product residue, follow label warnings even after container is

5/7

emptied.

SDS US Material name: SEAL 341

HIL00341 Version #: 01 Issue date: 11-18-2014

## 14. Transport information

DOT

Not regulated as dangerous goods.

## 15. Regulatory information

US federal regulations

All components are on the U.S. EPA TSCA Inventory List.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories

Immediate Hazard - No Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous

No

chemical

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Safe Drinking Water Act

Not regulated.

(SDWA)

US state regulations

US. California Controlled Substances. CA Department of Justice (California Health and Safety Code Section 11100)

Not listed.

US. Massachusetts RTK - Substance List

Not regulated.

US. New Jersey Worker and Community Right-to-Know Act

Not listed.

US. Pennsylvania Worker and Community Right-to-Know Law

Not listed.

US. Rhode Island RTK

Not regulated.

**US. California Proposition 65** 

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

## International Inventories

Country(s) or region

Inventory name

On inventory (yes/no)\*

United States & Puerto Rico

Toxic Substances Control Act (TSCA) Inventory

Yes

\*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

# 16. Other information, including date of preparation or last revision

Issue date

11-18-2014

Version #

01

HMIS® ratings

Health: 0 Flammability: 0 Physical hazard: 0

 Material name: SEAL 341
 SDS US

 HIL00341
 Version #: 01
 Issue date: 11-18-2014
 6 / 7

### Disclaimer

No representations or warranties, either express or implied, of merchantability, fitness for a particular purpose, or of any nature are made with respect to the product(s) or information contained in this material safety data sheet. The information and recommendations contained in this Material Safety Data Sheet are supplied pursuant to 29 CFR 1910.1200 of the Occupational Safety and Health Standards Hazard Communication Rule. All information contained herein is presented in good faith and is believed to be appropriate and accurate. The buyer or user assumes all risks associated with the use, misuse or disposal of this product. The buyer or user is responsible to comply with all federal, state or local regulations concerning the use, misuse or disposal of these products.

Material name: SEAL 341 SDS US